

PAY ITEM NUMBER	PROJECT TO BE CONSTRUCTED	TOTAL QUANTITY		
38	1 1/4" RIGID METALLIC CONDUIT	XXX LF		
39	1 1/2" RIGID METALLIC CONDUIT	XXX LF		
40	1" RIGID METALLAIC CONDUIT	XXX LF		
41	FOUNDATION, TYPE L	16 UN		
42	METER CABINET, TYPE L	16 UN		
42B	METER CABINET LOCK	16 UN		
22	GROUND WIRE, NO. 10 AWG	XXXX LF		
21	GROUND WIRE, NO. 8 AWG	XXXX LF		
23	MULTIPLE LIGHTING WIRE, NO. 6 AWG	XXXX LF		
24	MULTIPLE LIGHTING WIRE, NO. 8 AWG	XXXX LF		
25	MULTIPLE LIGHTING WIRE, NO. 10 AWG	XXX LF		
20	SERVICE WIRE, NO. 6 AWG	XXX LF		
26	LIGHT POLE ASSEMBLY (LPA)	180 UN		
27	CROSS BRACKET (CB)	180 UN		
28	LUMINAIRE DECORATIVE L(57W))	256 UN		
29	LUMINAIRE DECORATIVE EXISTING L(EX)) REMOVE & REINSTALL	104 UN		
30	REMOVAL OF EXISTING POLE BASE AND POLE	XX UN		
XX	MULTIPLE LIGHTING WIRE, NO. 4 AWG	XXXX LF		
XX	GROUND WIRE, NO. 6 AWG	XXX LF		

## SHEET NOTES:

- EXISTING ATLANTIC CITY ELECTRIC (ACE) OR PRIVATELY OWNED COBRA HEAD TYPE STREET LIGHTING LED TO REMAIN. (TYPICAL).
- COORDINATE ALL CONDUIT ROUTING WITH THE EXISTING SITE UTILITIES. ALL LIGHTING CONDUITS SHALL MAINTAIN A 4'-0" DISTANCE WHEN RUNNING PARALLEL TO THE EXISTING TERRA COTTA SEWER LINES.
- EXISTING ATLANTIC CITY ELECTRIC (ACE) OR PRIVATELY OWNED DECORATIVE STREET LIGHTING LED TO REMAIN. (TYPICAL).
- 4. EXISTING DOUBLE ACORN SIDEWALK LIGHTING FIXTURE TO BE DISCONNECTED AND REMOVED. ATLANTIC CITY ELECTRIC (ACE) TO DISCONNECT AND REMOVE EXISTING UTILITY OWNED PEDESTRIAN LIGHTING WIRING. ELECTRICAL CONTRACTOR SHALL REMOVE EXISTING POLE BASE, POLE AND LUMINAIRE. PROVIDE NEW POLE BASE, POLE, CROSS BRACKET, AND REUSE THE TWO ACORN LUMINAIRES AT THIS LOCATION. CONTRACTOR SHALL PROVIDE NEW CUSTOMER WIRING CONNECTED TO NEW METER PEDESTAL LOADCENTER AS SHOWN.
- 5. UNDERGROUND SECONDARY SERVICE FEEDERS FROM OVERHEAD DISTRIBUTION NETWORK TO METER PEDESTAL FURNISHED AND INSTALLED BY THE CONTRACTOR. COORDINATE WITH ATLANTIC CITY ELECTRIC.
- 6. NEW LIGHTING FIXTURE AT EXISTING ABANDONED OR DEAD TREE LOCATION.
- 7. COORDINATE ALL UTILITY COMPANY WORK WITH MR. WILLIAM EDWARDS AT ACE: EMAIL William.Edwards@atlanticcityelectric.com. Phone: 609-204-3626.



REMINGTON & VERNICK **ENGINEERS** 


PLEASANTVILLE, NJ 08232 (609) 645-7110, FAX (609) 645-7076 WEB SITE ADDRESS: WWW.RVE.COM Certification of Authorization: 24 GA 28003300 ~ENGINEERING EXCELLENCE~

845 NORTH MAIN STREET

## **PRELIMINARY**

PLANS WHICH DO NOT BEAR AN EMBOSSED SEAL ARE NOT VALID.

ALL DOCUMENTS PREPARED BY REMINGTON & VERNICK ENGINEERS AND AFFILIATES ARE INSTRUMENTS OF SERVICE IN RESPECT OF THE PROJECT. THEY ARE NO INTENDED OR REPRESENTED TO BE SUITABLE FOR REUSE BY OWNER OR OTHERS ON EXTENSIONS OF THE PROJECT OR ON ANY OTHER PROJECT. ANY REUSE WITHOUT WRITTEN VERIFICATION OR ADAPTATION BY REMINGTON & VERNICK ENGINEERS AND AFFILIATES FOR THE SPECIFIC PURPOSE INTENDED WILL BE AT OWNERS SOLE RISK AND WITHOUT LIABILITY OR LEGAL EXPOSURE TO REMINGTON & VERNICK ENGINEERS AND AFFILIATES; AND OWNER SHALL INDEMNIFY AND HOLD HARMLESS REMINGTON & VERNICK ENGINEERS AN AFFILIATES FROM ALL CLAIMS, DAMAGES, LOSSES AND EXPENSES ARISING OUT OF OR RESULTING THEREFROM.



		di i						
								REVISION
0								No.

0 5

22

00

## LEGEND

PROPOSED METER PEDESTAL NJ DOT TYPE L

EXISTING PRIVATE OR AC ELECTRIC LIGHTING POLE TO REMAIN

EXISTING LED COBRA HEAD LUMINAIRE TO REMAIN.

GRAPHIC SCALE

( IN FEET ) 1 INCH = 30 FT.

DOUBLE ACORN LIGHT POLE

**EXISTING** UTILITY POLE

— ELECTRICAL CONDUIT



**PROGRESS SET** NOT FOR CONSTRUCTION

AMIN H. GOMAA, PE PROFESSIONAL ENGINEER, NJ LIC. No. 24GE04842100

CHECKED BY: SCALE: AMP AMP AHG AS NOTED 8-3-2023 22 of **46** 

COPYRIGHT 2018 FRENCH & PARRELLO ASSOCIATES, PA - THE COPYING OR REUSE OF THIS DOCUMENT, OR PORTIONS THEREOF, WITHOUT THE WRITTEN PERMISSION OF FRENCH & PARRELLO ASSOCIATES, PA IS PROHIBITED. DUE TO INHERENT ERRORS IN REPRODUCTION METHODS, ERRORS MAY OCCUR WHEN SCALING THIS DRAWING.