





STABILIZED CONSTRUCTION ENTRANCE & MAINTENANCE NOTES

The purpose of this note is to provide the minimum standards for the construction of the stabilized construction entrance and maintenance structure. The structure shall be constructed of concrete or masonry and shall be designed to provide a minimum of 100 square feet of area for the collection and treatment of sediment. The structure shall be located at the entrance to the construction site and shall be maintained throughout the construction period. The structure shall be constructed to the following standards:

- 1. The structure shall be constructed of concrete or masonry and shall be designed to provide a minimum of 100 square feet of area for the collection and treatment of sediment.
- 2. The structure shall be located at the entrance to the construction site and shall be maintained throughout the construction period.
- 3. The structure shall be constructed to the following standards:

STABILIZED CONSTRUCTION ENTRANCE & MAINTENANCE NOTES

The purpose of this note is to provide the minimum standards for the construction of the stabilized construction entrance and maintenance structure. The structure shall be constructed of concrete or masonry and shall be designed to provide a minimum of 100 square feet of area for the collection and treatment of sediment. The structure shall be located at the entrance to the construction site and shall be maintained throughout the construction period. The structure shall be constructed to the following standards:

- 1. The structure shall be constructed of concrete or masonry and shall be designed to provide a minimum of 100 square feet of area for the collection and treatment of sediment.
- 2. The structure shall be located at the entrance to the construction site and shall be maintained throughout the construction period.
- 3. The structure shall be constructed to the following standards:

STABILIZED CONSTRUCTION ENTRANCE & MAINTENANCE NOTES

The purpose of this note is to provide the minimum standards for the construction of the stabilized construction entrance and maintenance structure. The structure shall be constructed of concrete or masonry and shall be designed to provide a minimum of 100 square feet of area for the collection and treatment of sediment. The structure shall be located at the entrance to the construction site and shall be maintained throughout the construction period. The structure shall be constructed to the following standards:

- 1. The structure shall be constructed of concrete or masonry and shall be designed to provide a minimum of 100 square feet of area for the collection and treatment of sediment.
- 2. The structure shall be located at the entrance to the construction site and shall be maintained throughout the construction period.
- 3. The structure shall be constructed to the following standards:

STABILIZED CONSTRUCTION ENTRANCE & MAINTENANCE NOTES

The purpose of this note is to provide the minimum standards for the construction of the stabilized construction entrance and maintenance structure. The structure shall be constructed of concrete or masonry and shall be designed to provide a minimum of 100 square feet of area for the collection and treatment of sediment. The structure shall be located at the entrance to the construction site and shall be maintained throughout the construction period. The structure shall be constructed to the following standards:

- 1. The structure shall be constructed of concrete or masonry and shall be designed to provide a minimum of 100 square feet of area for the collection and treatment of sediment.
- 2. The structure shall be located at the entrance to the construction site and shall be maintained throughout the construction period.
- 3. The structure shall be constructed to the following standards:

ARTHRUR PONZIO CO.
ENGINEERS & SURVEYORS
PLANNERS

400 NORTH ROYCE AVENUE
NEW JERSEY 07102
PHONE 201-441-0100 FAX 201-441-0104
NEW JERSEY LICENSE NO. 34-36880

ARTHRUR W. PONZIO, JR.
PROFESSIONAL PLANNER N.J. NO. 24608R960
PROFESSIONAL ENGINEER N.J. NO. 414448

ARTHRUR W. PONZIO, JR.
PROFESSIONAL PLANNER N.J. NO. 24608R960
PROFESSIONAL ENGINEER N.J. NO. 414448

SOIL EROSION & SEDIMENT CONTROL PLAN
BLOCK 391
ATLANTIC CITY ATLANTIC COUNTY NEW JERSEY

SCALE 1" = 30'
DATE 10-1-25

PROJECT NO. 4899

REVISION NO. 6

SITE ADDRESS: 2 CONVENTION BOULEVARD, ATLANTIC CITY, NJ
TAX MAP SHEET NO. 70

STABILIZED CONSTRUCTION ENTRANCE & MAINTENANCE NOTES

STABILIZED CONSTRUCTION ENTRANCE & MAINTENANCE NOTES

